



Standard Series Tube and Pipe Supports

STANDARD SERIES ORDERING EXAMPLES

WP-XXXX-PP-CP-HB

Support with weld plate mount, cover plate and hex bolts

| WP- | XXXX- | PP- | CP- | HB |
|-----------------|-------------------------------------|---|------------------|---------------|
| Weld Plate (WP) | Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) RU (Rubber) | Cover Plate (CP) | Hex Bolt (HB) |

HN-XXXX-PP-CP-HB

Support with rail nut mount, cover plate and hex bolts

| HN- | XXXX- | PP- | CP- | HB |
|---------------|-------------------------------------|---|------------------|---------------|
| Rail Nut (HN) | Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) RU (Rubber) | Cover Plate (CP) | Hex Bolt (HB) |

EWP-XXXX-PP-CP-HB

Support with extended weld plate mount, cover plate and hex bolts

| EWP- | XXXX- | PP- | CP- | HB |
|---------------------------|-------------------------------------|---|------------------|---------------|
| Extended Weld Plate (EWP) | Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) RU (Rubber) | Cover Plate (CP) | Hex Bolt (HB) |

XXXX-PP-LP-SB

Stacking support with stack bolts and lock plates

| XXXX- | PP- | LP | SB |
|-------------------------------------|---|-----------------|--------------------|
| Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) RU (Rubber) | Lock Plate (LP) | Stacking Bolt (SB) |

Ordering example for stacked supports:

For a 1/2" tube standard support with weld plate mount stacked 2 high, order the following:


1 x WP-2127-PP-CP-HB

1 x 2127-PP-LP-SB



Standard Series Tube and Pipe Supports

STANDARD SUPPORT BODY PART NUMBER BY SIZE



| Group | Inch O.D. Tube | Body Size | Nominal Pipe | Body Size | Metric O.D. Tube | Body Size | Dimensions | | | | | |
|-------|----------------------------------|------------------------------|-------------------|-----------|------------------|-----------|----------------|---------------|----------------|----------------|-------|-------|
| | | | | | | | A | B | C | D | | |
| 0 | 1/4" | 0064 | 1/8" (0.40" OD) | 0102 | 6 mm | 006 | 28mm 1.11" | 30mm 1.18" | 27mm | --- | | |
| | 3/8" | 0095 | | | 8 mm | 008 | | | 27mm | 1.06" | | |
| 1 | 1/4" | 1064 | 1/8" (0.40" OD) | 1102 | 8 mm | 106 | 34mm 1.34" | 30mm 1.18" | 27mm | 20mm | | |
| | 3/8" | 1095 | | | 10 mm | 108 | | | 1.06" | 0.79" | | |
| 2 | 1/2" 5/8" | 2127 2160 | 1/4" (0.54" OD) | 2137 | 12 mm | 212 | 42mm 1.58" | 30mm 1.18" | 33mm | 26mm | | |
| | | | 3/8" (0.68" OD) | 2171 | 14 mm | 214 | | | | | 1.30" | 1.02" |
| | | | | | 15 mm | 215 | | | | | | |
| | | | | | 16 mm | 216 | | | | | | |
| 3 | 3/4" 7/8" 1" | 3190 3222 3254 | 1/2" (0.84" OD) | 3213 | 18 mm | 218 | 49mm 1.89" | 30mm 1.18" | 35mm | 33mm | | |
| | | | | | 20 mm | 320 | | | | | 1.38" | 1.30" |
| | | | | | 22 mm | 322 | | | | | | |
| 4 | | | 3/4" (1.05" OD) | 4266 | 25 mm | 325 | 59mm 2.25" | 30mm 1.18" | 42mm | 40mm | | |
| | | | | | 28 mm | 428 | | | | | 1.65" | 1.57" |
| 5 | 1-1/4" 1-1/2" | 5318 5381 | 1" (1.31" OD) | 5334 | 30 mm | 430 | 71mm 2.75" | 30mm 1.18" | 58mm | 52mm | | |
| | | | 1-1/4" (1.66" OD) | 5421 | 32 mm | 532 | | | | | 2.28" | 2.05" |
| 6 | 1-3/4" 2" | 6445 6508 | 1-1/2" (1.90" OD) | 6483 | 35 mm | 535 | 86mm 3.39" | 30mm 1.18" | 66mm | 66mm | | |
| | | | | | 38 mm | 538 | | | | | 2.60" | 2.60" |
| 7 | 2-3/4" 2-1/2" 2-3/4" 3" | 7572 7635 7700 7761 | 2" (2.38" OD) | 7603 | 40 mm | 540 | 121mm 4.76" | 30mm 1.18" | 94mm | 94mm | | |
| | | | 2-1/2" (3.00" OD) | 7761 | 42 mm | 542 | | | | | 3.68" | 3.70" |
| | | | | | | | | | | | | |
| 8 | 4" | 8102 | 3" (3.50" OD) | 8889 | | | 147mm 5.79" | 30mm 1.18" | 118mm 4.63" | 120mm 4.72" | | |












Standard series support bodies are available in the following materials:

| | | |
|---------------|-----|--------------|
| Polypropylene | PP | e.g. PP2127 |
| Polyamide | PA | e.g. PA2127 |
| Aluminum | ALU | e.g. ALU2127 |
| Rubber | RU | e.g. RU2127 |



Standard Series Tube and Pipe Supports

COMPONENT PARTS FOR STANDARD SERIES SUPPORTS

| |  |  |  |  |  |  |  |  |  |  |  | |
|-------|---|---|---|---|--|---|---|---|---|---|---|-------------------------|
| Group | Weld Plate | Extended Weld Plate | Double Weld Plate | Group Weld Plate | Rail Nut | Cover Plate | Lock Plate | Hex Bolt | Stack Bolt | Rail for Rail Nuts | Rail for Weld Plates | |
| 0 | WP-0 | | | | HN | CP-0 | LP | HB-0 | SB-0 | R095 (height = 11mm) | WFR | |
| 1 | WP-1 | EWP-1 | DWP-1 | GWP-1 (10 supports) | | CP-1 | | HB-1 | SB-1 | | | |
| 2 | WP-2 | EWP-2 | DWP-2 | GWP-2 (10 supports) | | CP-2 | | HB-2 & 3 | SB-2 | | | |
| 3 | WP-3 | EWP-3 | DWP-3 | GWP-3 (10 supports) | | CP-3 | | HB-2 & 3 | SB-3 | | | |
| 4 | WP-4 | EWP-4 | DWP-4 | GWP-4 (10 supports) | | CP-4 | | HB-4 | SB-4 | | | R096 (height = 14mm) |
| 5 | WP-5 | EWP-5 | DWP-5 | GWP-5 (10 supports) | | CP-5 | | HB-5 | SB-5 | | | R097 (height = 30mm) |
| 6 | WP-6 | EWP-6 | DWP-6 | GWP-6 (5 supports) | | CP-6 | | HB-6 | SB-6 | | | |
| 7 | WP-7 | EWP-7 | | | | CP-7 | | HB-7 | | | | |
| 8 | WP-8 | EWP-8 | | | | CP-8 | HB-8 | | | | | |

Materials:

- Standard material for metal parts is zinc plated steel - except for weld plates and rail which are oiled finish suitable for welding
- 304 Stainless and 316 Stainless hardware is available

Threads:

- All threaded hardware for standard supports is stocked with 1/4 - 20 UNC threads
- M6 metric threaded hardware also available upon request



Twin Series Tube and Pipe Supports

TWIN SERIES SUPPORTS ORDERING EXAMPLES

TWP-XXXX/XXX-PP-TCP-HB

Support with weld plate mount, cover plate and hex bolts

| TWP- | XXXX/XXX- | PP- | TCP- | HB |
|------------------|-------------------------------------|--|------------------------|---------------|
| Weld Plate (TWP) | Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) | Twin Cover Plate (TCP) | Hex Bolt (HB) |

THN-XXXX/XXX-PP-TCP-HB

Support with rail nut mount, cover plate and hex bolts

| THN- | XXXX/XXX- | PP- | TCP- | HB |
|----------------|-------------------------------------|--|-----------------------|---------------|
| Rail Nut (THN) | Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) | Twin Cover Plate (CP) | Hex Bolt (HB) |

XXXX/XXX-PP-TLW-TSB

Stacking support with stack bolt and lock washer

| XXXX/XXX | PP- | TLW- | TSB |
|-------------------------------------|--|------------------------|-------------------------|
| Inch tube, Metric tube or Pipe Size | PP (Polypropylene) PA (Polyamide) ALU (Aluminum) | Twin Lock Washer (TLW) | Twin Stacking Bolt (SB) |


Ordering example for stacked supports:

For 1/2" tube twin support with weld plate mount stacked 2 high order the following:
 1 x TWP-2127/127-PP-TCP-HB
 1 x 2127/127-PP-TLW-TSB



Twin Series Tube and Pipe Supports

TWIN SUPPORT BODY PART NUMBER BY SIZE



| Group | Inch O.D. Tube A1 - A2 | Body Size | Nominal Pipe A1 - A2 | Body Size | Metric O.D. Tube A1 - A2 | Body Size | Dimensions | | |
|-------|---------------------------------------|----------------------------------|--------------------------------|--------------|---|--|------------|-------|-------|
| | | | | | | | A | B | C |
| 1 | 1/4" - 1/4" 3/8" - 3/8" | 1064/064 1095/095 | 1/8" - 1/8" (0.405" OD) | 1102/102 | 6mm - 6mm 8mm - 8mm 10mm - 10mm 12mm - 12mm | 106/06 108/08 110/10 | 36mm | 30mm | 27mm |
| | | | | | | | 1.42" | 1.18" | 1.06" |
| | | | | | | | | | |
| | | | | | | | | | |
| 2 | 1/2" - 1/2" 5/8" - 5/8" | 2127/127 2160/160 | 1/4" - 1/4" (0.405" OD) | 2137/137 | 14mm - 14mm 15mm - 15mm 16mm - 16mm 18mm - 18mm | 214/14 215/15 216/16 218/18 | 53mm | 30mm | 27mm |
| | | | 3/8" - 3/8" (0.675" OD) | 2171/171 | | 2.09" | 1.18" | 1.06" | |
| | | | | | | | | | |
| | | | | | | | | | |
| 3 | 3/4" - 3/4" 7/8" - 7/8" 1" - 1" | 3190/190 3222/222 3254/254 | 1/2" - 1/2" (0.840" OD) | 3213/213 | 20mm - 20mm 22mm - 22mm 25mm - 25mm | 320/20 322/22 325/25 | 67mm | 30mm | 37mm |
| | | | | | | | 2.64" | 1.18" | 1.46" |
| | | | | | | | | | |
| | | | | | | | | | |
| 4 | | | 3/4" - 3/4" (1.050" OD) | 4266/266 | 28mm - 28mm 30mm - 30mm | 428/28 430/30 | 82mm | 30mm | 42mm |
| | | | | | | | 3.23" | 1.18" | 1.65" |
| 5 | 1-1/4" - 1-1/4" 1-1/2" - 1-1/2" | 5318/318 5381/381 | 1" - 1" (1.315" OD) | 5334/334 | 32mm - 32mm 35mm - 35mm 38mm - 38mm 40mm - 40mm 42mm - 42mm | 532/32 535/35 538/38 540/40 542/42 | 106mm | 30mm | 54mm |
| | | | 1-1/4" - 1-1/4" (1.660" OD) | 5421/421 | | 4.17" | 1.18" | 2.13" | |
| | | | | | | | | | |
| | | | | | | | | | |









Twin Series support bodies are available in the following materials:

| | | |
|---------------|-----|------------------|
| Polypropylene | PP | e.g. PP2127/127 |
| Polyamide | PA | e.g. PA2127/127 |
| Aluminum | ALU | e.g. ALU2127/127 |



Twin Series Tube and Pipe Supports

COMPONENT PARTS FOR TWIN SERIES SUPPORTS

| |  |  |  |  |  |  |  |  |
|-------|---|---|---|--|---|---|---|---|
| Group | Weld Plate | Group Weld Plate | Rail Nut | Cover Plate | Lock Plate | Hex Bolt | Stack Bolt | Rail for Rail Nuts |
| 1 | TWP-1 | TGWP-1 (5 supports) | THN | TCP-1 | TLW | THB-1 | SB-1 | R095 (height = 11mm) R096 (height = 14mm) R097 (height = 30mm) |
| 2 | TWP-2 | TGWP-2 (5 supports) | | TCP-2 | | THB-2 | SB-2 | |
| 3 | TWP-3 | TGWP-3 (5 supports) | | TCP-3 | | THB-2 | SB-3 | |
| 4 | TWP-4 | TGWP-4 (5 supports) | | TCP-4 | | THB-4 | SB-4 | |
| 5 | TWP-5 | TGWP-5 (5 supports) | | TCP-5 | | THB-5 | SB-5 | |

Materials:

- Standard material for metal parts is zinc plated steel - except for weld plates and rail which are oiled finish suitable for welding
- 304 Stainless and 316 Stainless hardware is available

Threads:

- Twin group 1 hardware is stocked with 1/4 - 20 UNC threads. M6 metric hardware available
- Twin groups 2 - 5 hardware is stocked with 5/16 - 18 UNC threads. M8 metric hardware is available



Heavy Duty Series Tube and Pipe Supports

HEAVY DUTY SUPPORTS ORDERING EXAMPLES

HWP-XXXX-HPP-HHB

Support with heavy weld plate mount, cover plate and hex bolts

| HWP- | XXXX- | HPP- | HHB |
|------------------------|-------------------------------------|---|----------------------|
| Heavy Weld Plate (HWP) | Inch tube, Metric tube or Pipe Size | HPP (Polypropylene) HPA (Polyamide) HALU (Aluminum) HRU (Rubber) | Heavy Hex Bolt (HHB) |

DHWP-XXXX-HPP-HHB

Support with double heavy weld plate mount, cover plate and hex bolts

| DHWP- | XXXX- | HPP- | HHB |
|--------------------------------|-------------------------------------|---|----------------------|
| Double Heavy Weld Plate (DHWP) | Inch tube, Metric tube or Pipe Size | HPP (Polypropylene) HPA (Polyamide) HALU (Aluminum) HRU (Rubber) | Heavy Hex Bolt (HHB) |

MN-XXXX-HPP-HHB

Support with heavy rail nut, cover plate and hex bolts

| MN- | XXXX- | HPP- | HHB |
|-----------------|-------------------------------------|---|----------------------|
| Milled Nut (MN) | Inch tube, Metric tube or Pipe Size | HPP (Polypropylene) HPA (Polyamide) HALU (Aluminum) HRU (Rubber) | Heavy Hex Bolt (HHB) |

XXXX-HPP-HLP-HSB

Stacking support with stack bolts and lock plate

| XXXX- | HPP- | HLP- | HSB |
|-------------------------------------|---|------------------------|------------------------|
| Inch tube, Metric tube or Pipe Size | HPP (Polypropylene) HPA (Polyamide) HALU (Aluminum) HRU (Rubber) | Heavy Lock Plate (HLP) | Heavy Stack Bolt (HSB) |


Ordering example for stacked supports:

For 1/2" tube heavy duty support with weld plate mount stacked 2 high, order the following:

- 1 x HWP-3127-HPP-HHB
- 1 x 3127-HPP-HLP-HSB



HEAVY DUTY SUPPORT BODY PART NUMBER BY SIZE



| Group | Inch O.D. Tube | Body Size | Nominal Pipe (O.D.) | Body Size | Metric O.D. Tube | Body Size | Dimensions | | | |
|-------|----------------|-----------|--|----------------------------|------------------|-----------|-----------------|----------------|-----------------|-----------------|
| | | | | | | | A | B | C | D |
| 3-H | 1/4" | 3064-H | 1/8" (0.40") 1/4" (0.54") 3/8" (0.68") | 3103-H 3137-H 3171-H | 6 mm | 3006-H | 56mm 2.20" | 30mm 1.18" | 32mm 1.26" | 33mm 1.30" |
| | 3/8" | 3095-H | | | 8 mm | 3008-H | | | | |
| | 1/2" | 3127-H | | | 10 mm | 3010-H | | | | |
| | 5/8" | 3160-H | | | 12 mm | 3012-H | | | | |
| | | | | | 14 mm | 3014-H | | | | |
| 4-H | 3/4" | 4190-H | 1/2" (0.84") 3/4" (1.05") | 4213-H 4267-H | 20 mm | 4020-H | 71mm 2.80" | 30mm 1.18" | 48mm 1.89" | 45mm 1.77" |
| | 7/8" | 4222-H | | | 22 mm | 4022-H | | | | |
| | 1" | 4254-H | | | 25 mm | 4025-H | | | | |
| | | | | | 28 mm | 4028-H | | | | |
| | | | | | 30 mm | 4030-H | | | | |
| 5-H | 1-1/4" | 5318-H | 1" (1.35") 1-1/4" (1.66") | 5334-H 5442-H | 30 mm | 5030-H | 86mm 3.39" | 30mm 1.18" | 60mm 2.36" | 60mm 2.36" |
| | 1-1/2" | 5381-H | | | 35 mm | 5035-H | | | | |
| | | | | | 40 mm | 5040-H | | | | |
| | | | | | 42 mm | 5042-H | | | | |
| 6-H | 1-3/4" | 6445-H | 1-1/4" (1.66") 1-1/2" (1.90") 2" (2.38") | 6422-H 6483-H 6603-H | 38 mm | 6038-H | 117mm 4.61" | 45mm 1.77" | 90mm 3.54" | 90mm 3.54" |
| | 2" | 6509-H | | | 40 mm | 6040-H | | | | |
| | 2-1/4" | 6572-H | | | 42 mm | 6042-H | | | | |
| | 2-1/2" | 6635-H | | | 50 mm | 6050-H | | | | |
| | 2-3/4" | 6700-H | | | 65 mm | 6065-H | | | | |
| | | | | | 70 mm | 6070-H | | | | |
| 7-H | 2-3/4" | 7700-H | 2-1/2" (2.88") 3" (3.50") | 7730-H 7889-H | 75 mm | 7075-H | 154mm 6.06" | 60mm 2.36" | 122mm 4.72" | 122mm 4.80" |
| | 3" | 7762-H | | | 80 mm | 7080-H | | | | |
| | 3-1/2" | 7889-H | | | 90 mm | 7090-H | | | | |
| 8-H | 4" | 8102-H | 4" (4.50") | 8114-H | 90 mm | 8090-H | 206mm 8.07" | 80mm 3.15" | 168mm 6.69" | 168mm 6.61" |
| | 4-1/2" | 8114-H | | | 100 mm | 8100-H | | | | |
| | 5" | 8127-H | | | | | | | | |
| 9-H | 5" | 9127-H | 5" (5.56") 6" (6.63") | 9141-H 9168-H | 150 mm | 9150-H | 251mm 9.84" | 90mm 3.54" | 205mm 7.87" | 205mm 8.07" |
| | 5-1/4" | 9140-H | | | | | | | | |
| | 6" | 9133-H | | | | | | | | |
| | 6" | 9152-H | | | | | | | | |
| 10-H | 8" | 10203-H | 6" (6.62") 8" (8.63") | 10168-H 10219-H | 220 mm | 10220-H | 320mm 12.60" | 120mm 4.72" | 265mm 10.63" | 265mm 10.43" |












Heavy Duty Series supports bodies are available in the following materials:

| | | |
|---------------|-----|----------------|
| Polypropylene | PP | e.g. PP3127-H |
| Polyamide | PA | e.g. PA3127-H |
| Aluminum | ALU | e.g. ALU3127-H |
| Rubber | RU | e.g. RU3127-H |



Heavy Duty Series Tube and Pipe Supports

COMPONENT PARTS FOR HEAVY DUTY SERIES SUPPORTS

| |  |  |  |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|--|---|---|---|---|---|---|
| Group | Heavy Weld Plate | Extended Heavy Weld Plate | Double Heavy Weld Plate | Heavy Cover Plate | Double Heavy Cover Plate | Heavy Hex Bolt | Heavy Stack Bolt | Heavy Rail Nut | Heavy Rail | Heavy Lock Plate | Heavy Lock Clip |
| 3 | HWP-3 | EHWP-3 | DHWP-3 | HCP-3 | DHCP-3 | HHB-3 | HSB-3 | MN 3/8 | HR100 | HLP-3 | HLC-3-5 |
| 4 | HWP-4 | EHWP-4 | DHWP-4 | HCP-4 | DHCP-4 | HHB-4 | HSB-4 | | | HLP-4 | |
| 5 | HWP-5 | EHWP-5 | DHWP-5 | HCP-5 | DHCP-5 | HHB-5 | HSB-5 | | | HLP-5 | |
| 6 | HWP-6 | EHWP-6 | DHWP-6 | HCP-6 | DHCP-6 | HHB-6 | HSB-6 | MN 7/16 | | HLP-6 | HLC-6 |
| 7 | HWP-7 | EHWP-7 | DHWP-7 | HCP-7 | DHCP-7 | HHB-7 | HSB-7 | | | HLP-7 | HLC-7 |
| 8 | HWP-8 | EHWP-8 | DHWP-8 | HCP-8 | DHCP-8 | HHB-8 | HSB-8 | | | HLP-8 | HLC-8 |
| 9 | HWP-9 | EHWP-9 | DHWP-9 | HCP-9 | DHCP-9 | HHB-9 | HSB-9 | | | HLP-9 | HLC-9 |
| 10 | HWP-10 | EHWP-10 | DHWP-10 | HCP-10 | DHCP-10 | HHB-10 | HSB-10 | | | HLP-10 | HLC-10 |

Materials:

- Standard material for metal parts is zinc plated steel - except for weld plates and rail which are oiled finish suitable for welding
- 304 Stainless and 316 Stainless hardware is available

Threads:

- Groups 3-5 hardware is stocked with 3/8 - 16 UNC threads. M10 metric hardware available
- Group 6 hardware is stocked with 7/16 - 14UNC threads. M12 metric hardware is available
- Group 7 hardware is stocked with 5/8 - 11UNC threads. M16 metric hardware is available
- Group 8 hardware is stocked with M20 metric threads
- Group 9 hardware is stocked with M24 metric threads
- Group 10 hardware is stocked with M30 metric threads

Williams Fluidair Corporation Limited

1018 Salk Road Pickering, Ontario Canada L1W 3C5
 T: 905-831-3222 F: 905-831-3284 E: service@williamsfluidair.com W: www.williamsfluidair.com